

Smart 2370v2

Thin Client



Profile

Smart 2370V2 thin client is another cost effective solution for users with moderate applications on Microsoft or Linux platform, Very handy and useful device for educational institution and traders considering their limited usage. Supports Microsoft RDP 7.0 with 32bit graphics resolution.

Smart 2370V2 thin client are best suitable for Education, Small & Medium Scale Industries, SOHO, Hospitals, Chartered Accountants, and Traders.



Specification



Processor	CPU	A20 Dual-Core 1.2GHz
Memory	RAM	1GB (Onboard)
Storage	eMMC	8GB (Onboard)
Display	Interface	1x HDMI, 1xVGA
	Resolution	Up to 1920x1080@60Hz
	Color Depth	Up to 32 bits True Color
	Dual Display	Not Support
I/O Peripheral	USB	4x USB 2.0
	AUDIO	1x Audio Out, 1x Sound In
	Power	1x DC Power In, 1x Power Switch
Networking	LAN	1x 10/100 Mbps Base-T Fast Ethernet RJ-45
Physical	Dimension	145mm x 92mm x 25mm
Charateristics	Weight	0.20 kg
Power	Adapter	External 5V/3A DC Adapter
	Consumption	3.5 watts
Environment	Cooling	Fan-less Convection
	Operation Temp.	0°C to 40°C
Mounting	VESA Bracket	VESA Mounting kit



Contact

Apurva Computers Technologies Pvt. Ltd

Corporate Office: 1210, 12th Floor, One World West, Bopal Approach BRTS Bus stop, Near Vakil Saheb Bridge, Bopal, Ahmedabad-380058 (Gujarat) India.

Registered Office: 2nd Floor, Manivir Complex, Vitthal Press Road, Surendranagar-363001 (Gujarat) India.

Contact: +91 98242 08215 / 98242 08213 / 93746 51621 / 93769 15048

Email: sales@smartstation.in

Website: www.smartstation.in

